

CHAPTER 8

PUBLIC WORKS

- 8.01 Streets Vacated
- 8.02 Alleys Vacated
- 8.03 Standards and Specifications for Roads and Bridges
- 8.04 Driveway Access to County Trunk Highways
- 8.10 Penalty

8.01 STREETS VACATED. The following resolutions vacating streets in the County are adopted by reference and incorporated herein as though set forth in full:

- (1) Res. #11: 12-16-54.
- (2) Res. #9: 4-19-55.
- (3) Res. #10: 4-19-55.
- (4) Res. #4: 6-20-57.
- (5) Res. #5: 6-20-57.
- (6) Res. #5: 5-21-64.
- (7) Res. #3: 7-18-68.
- (8) Res. #15: 5-21-70.
- (9) Res. #1: 2-18-71.
- (10) Res. #3: 4-15-71.
- (11) Res. #3: 8-19-71.
- (12) Res. #5: 8-19-71.
- (13) Res. #5: 8-19-71.
- (14) Res. #2: 9-16-71.
- (15) Res. #71: 5-17-73.
- (16) Res. #75: 4-16-91.
- (17) Res. #49: 2-20-92.

8.02 ALLEYS VACATED. The following resolutions vacating alleys in the County are adopted by reference and incorporated herein as though set forth in full:

- (1) Res. #7: 1-20-55.
- (2) Res. #8: 4-19-55.
- (3) Res. #6: 7-19-56.
- (4) Res. #9: 6-15-61.
- (5) Res. #126: 8-16-73.
- (6) Res. #49: 2-20-92.

8.03 STANDARDS AND SPECIFICATIONS FOR ROADS AND BRIDGES. The standards and specifications for town and County roads and bridges as formulated in April, 1944, and amended in January, 1952, are adopted by reference and incorporated herein as though set forth in full. Failure to comply with such standards and specifications shall be a violation of this section.

8.04 DRIVEWAY ACCESS TO COUNTY TRUNK HIGHWAYS.

(1) APPLICABILITY. In accordance with ss. 86.07 (2) , Wis. Stats. This section applies to all design, layout and construction of private driveways which will be adjacent to a County Trunk Highway, or on a Roadway which is within 200 feet of an intersection of a County Trunk Highway.

(2) INTERPRETATION AND PURPOSE.

(a) The County Board has determined that improper design, layout and or construction of driveway access onto County Trunk Highways impairs the ability of said highway system to efficiently and safely serve as a part of an integrated intermodal transportation system. This section specifies the County's minimum standards for the design, layout and construction of private driveways abutting on a County Trunk Highway or on a roadway which is within 200 feet of an intersection to County Trunk Highway. These minimum design standards have been adopted in order to provide for the safety of entrance upon and departure from those highways, to preserve the public interest and investment in those highways, to help maintain speed limits, and to provide for the development and implementation of an intermodal transportation system to serve the mobility needs of people and freight and foster economic growth and development, while minimizing transportation related fuel-consumption, air pollution, and adverse effects on the environment and on landowners and users.

(b) It is not intended by this section to repeal, abrogate, annul, impair or interfere with any regulations or permits previously adopted or issued pursuant to laws; provided, however, that where this section imposes a greater restriction upon the design and construction of driveways the provisions of this section shall govern.

(3) DEFINITIONS.

(a) "County" means La Crosse County, including any agency, department or committee thereof.

(b) "County Planning Committee" means the Planning, Resources & Development Committee as authorized by s. 59.69, Wis. Stats., and s. 1.49 of this Code.

(c) "County Highway Committee" means the Public Works and Infrastructure Committee of La Crosse County as authorized by s. 83.015, Wis. Stats., and s. 1.46 of this Code.

(d) "Department" means the Department of Zoning, Planning and Land Information of La Crosse County.

(e) "Driveway" means a private road giving access from a public roadway to a building or other land use on abutting grounds.

(f) "Grade" means the slope of a road, street, alley, foot path, lot or block, specified in percent.

(g) "Pavement" means a material installed to formulate a semi-permanent surface onto the roadway width.

(h) "Permit" means the written authority granted to the Department to conduct activities regulated by this section.

(i) "Reconstruct" means to remove a driveway, or any of the structural portions of a driveway and construct again or replace the driveway with new or additional structural portions.

(j) "Registered Professional" means an Engineer, Surveyor, or Landscape Architect registered and certified to practice within the State of Wisconsin.

(k) "Roadway" means any public road, street, highway, alley (in towns), or portion thereof.

(l) "Sight Distance" means the distance from the entry point onto the highway to the point at which safe visual contact with oncoming traffic ceases to exist.

(m) "Tracking" means the detachment and movement of soil, sediment, or rock fragments by vehicle tires.

(n) "Urban Section" means a roadway cross section which is typical to urban areas, including curb and gutter, sidewalk, underground storm sewer and etc.

(o) "Zoning Administrator" means the Director of the Zoning, Planning and Land Information Department, or a person designated by the County Board to administer Chapters 17 and 18.

(4) PERMITS.

(a) No owner of real estate, owner of an easement of ingress and egress or tenant of real estate which abuts a County Trunk Highway or within 200 feet of an intersection to County Trunk Highways on another roadway, shall open, construct, reconstruct or change the principal use of a driveway or roadway onto that County Trunk Highway or roadway, without obtaining a permit under this section.

(b) All permits applied for under this section shall be filed with the Department and shall include an application fee that shall be determined from time to time by the County Board. Upon receipt of the application by the Department, the application shall be referred to the County Highway Commissioner for inspection and consideration of approval. Applicants shall be notified in writing of the County's decision on their application within 30 days of receipt of completed application. The Department shall issue a permit under this section for driveways which meet the following standards:

(5) LOCATION. All driveways shall:

(a) Be located at a point deemed most appropriate using the following standards:

1. That point which maximizes sight distance at the driveway location from both directions.

2. That point which maximizes sight distance at an intersection, curve or other adjacent traffic use.

3. That point which maximizes distance between adjacent driveways.

(b) Ensure that access shall be obtained off of a local road whenever possible, and not off of a County Trunk Highway.

(c) Any subdivision of land, after the effective date of this section, that requests access onto a County Trunk Highway shall be designed so as to maintain a minimum of 500 feet between each such driveway or access point.

(d) A sight distance of at least 500 feet in both directions is recommended. Due to the topography and existing land uses in La Crosse County, this recommended sight distance is not always feasible. In those cases where it is not feasible, the next, most appropriate location should be utilized as the above standards indicate. In doubtful cases, the County Highway Commissioner may require the applicant to submit, at the applicant's expense, a sight/distance study performed by a registered professional.

(6) DESIGN. All driveways shall:

(a) Be constructed at a 90° angle (perpendicular) to the roadway that it abuts, for at least 20 feet from the edge of the Pavement of the roadway.

(b) Be constructed at a maximum slope of 5% for at least 20 feet from the edge of the pavement of the roadway, and a slight depression shall be constructed across the drive so as to insure that drainage and debris not be discharged to the County Trunk Highway or roadway.

(c) Be constructed so as to support typical vehicle traffic during all weather conditions.

(d) Be constructed so as to eliminate the tracking of material off of the driveway onto the roadway.

(e) Be constructed so that the width of a driveway at the right of way line complies with the following table:

TABLE – DRIVEWAY WIDTH

Use of Property to be Served by Driveway	Minimum Width Of Driveway	Maximum Width Of Driveway
Residential	16 feet	22 feet
Shared Driveway	20 feet	24 feet
Agricultural	20 feet	26 feet
Commercial	20 feet	32 feet
Industrial	24 feet	40 feet

(f) The County Highway Commissioner is authorized to determine if a culvert is required. Any required culvert shall be installed entirely at the applicant's expense. Any culvert in the County Trunk Highway Right-of-Way must be designed to carry a minimum of a 25 year storm event, which is 2.9" of rainfall within a 24 hour period, unless otherwise directed by the County Highway Commissioner. The County Highway Commissioner may require that a culvert design be submitted by a registered professional at the applicant's expense.

(g) The culvert shall be a minimum of 18" corrugated metal pipe. Any culvert that is not Corrugated Metal Pipe (CMP) or Reinforced Concrete Pipe (RCP) shall be certified by a registered professional as appropriate for the construction of said driveway.

(h) All culverts shall be designed with adequate length and appropriate apron ends, unless otherwise directed by the County Highway Commissioner.

(7) CONSTRUCTION.

(a) All construction shall be completed within 6 months of the County's issuance of the driveway permit. If the driveway is not completed within this deadline, the permit shall be null and void and construction must stop on the driveway until a new permit has been issued by the County.

(b) All costs of installing the new driveway shall be the responsibility of the applicant.

(c) All land disturbance activities shall comply with Chapter 21 of this Code. All necessary erosion control measures shall be installed and maintained so as to eliminate sediment discharge to the roadway.

(d) There shall be no sediment, brush or other debris in the Roadway right-of-way as a result of the construction of the driveway.

(e) All work shall be performed in such a manner as to preclude any danger to, or interference with traffic flow.

(f) Concrete shall not extend into Roadway right-of-way unless Urban Section standards apply.

(g) Where driveways are to be installed in urban section the following construction standards apply:

1. When curb and gutter is removed, the new connections shall be of equivalent acceptable material and curb returns provided or restored in a neat manner. The driveway surface shall connect with the highway pavement and sidewalk, if applicable, in a neat manner. The driveway construction shall include the replacement of sidewalk areas which are inadequate or become damaged.

2. All curb flares shall be tangent to the curb line, and within the right-of way.

3. A curb length of not less than 3 feet shall be left undisturbed adjacent to each property line to serve as an island area should the adjoining owner request a permit for an entrance.

(h) All driveways existing as of the effective date of this section shall be deemed to be permitted driveways and no permit shall be required, except as specified in s. 8.04(4)(a) of this Code.

(8) VIOLATIONS AND PENALTIES. Any person, firm or corporation; including, but not limited to the landowner, contractor, or excavator; who violates, disobeys, neglects, omits, or refuses to comply with or who resists the enforcement of any of the provisions of this section, shall be subject to a forfeiture determined by the County Board plus Court costs, for each offense. Each working day where said activity is in violation of this section shall be deemed a separate and continuing offense.

(9) APPEALS.

(a) Any person aggrieved by an objection to a driveway permit or failure to approve a driveway permit may appeal to the County Administrator pursuant to s. 1.16(2)(f) of this Code.

(b) Appeals shall be in writing and shall be addressed to the Department and shall be postmarked within 30 days after written notification was received by the applicant as specified s. 8.04(4)(b). The Department shall administer and enforce this section. The County may seek injunctive relief in the case of a violation of this section.

(10) VALIDITY. Should any, clause or provision of this section, be declared invalid, the same shall not affect the validity of the section or any part thereof, other than the part so declared invalid.

8.10 PENALTY. Any person who shall violate any provision of this chapter or any rule, regulation or order made hereunder shall be subject to a penalty as provided by ss. 25.04 of this Code of Ordinances.