



Retail Food Establishment Inspection Report

Establishment Information	
Facility Name BANGOR LANES	Facility Type Restaurant
Facility ID # HSAT-7QWSBN	Facility Telephone # 608 848-2015
Facility Address 106 16TH AVENUE N BANGOR , WI 54614	
Licensee Name TENNER RYAN	Licensee Address PO BOX 287 BANGOR , WI 54614

Inspection Information		
Inspection Type Routine	Inspection Date June 7, 2018	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
walk-in cooler	31
reach-in cooler	35
reach-in freezer	10
chest freezers	3, -4, -2, -12
prep top cooler	35
bar bunkers	38, 30, 39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
4 compartment sink (bar)	chemical	-	200	Steramine	QA

Certified Manager		
Name RYAN R TENNER	Certificate # DOGD-8WR9HU	Certificate Expiration 10/20/2017

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations

Total # 2

Risk/Intervention - 1A - Certified food manager: duties

This is a core item

OBSERVATION: There is no approved certified food manager for this establishment.

CORRECTIVE ACTION(S): Provide an approved Wisconsin Certified, 360/Learn2Serve, Food Safety Professionals, Prometric, ServSave or recertification for small operators certified food manager and post the certificate in the food establishment within [time period]. Correct By: 21-Jun-2018

CODE CITATION: 12-201.11 (A) An individual who operates a FOOD ESTABLISHMENT or at least one MANAGER of a FOOD ESTABLISHMENT, shall have a certificate issued by the DEPARTMENT that states that the individual or MANAGER has passed a DEPARTMENT APPROVED examination on FOOD protection practices as required in s. 254.71, Stats.; provided, however, that:

(1) A NEW FOOD ESTABLISHMENT or a FOOD ESTABLISHMENT undergoing a change of OPERATOR shall have a certified FOOD MANAGER within 90 days of the initial day of operation or provide documentation that an individual is scheduled within three (3) months to take and pass an APPROVED examination as specified in § 12-301.11.

(2) A FOOD ESTABLISHMENT that is not in compliance because of EMPLOYEE turnover or other loss of a CERTIFIED FOOD MANAGER, shall have 90 days from the date of the loss of a CERTIFIED FOOD MANAGER to comply with this chapter or provide documentation that the individual designated to be the CERTIFIED FOOD MANAGER will become certified within the time specified in this subparagraph.

Good Retail Practices - 54 - Adequate ventilation and lighting designated and used

This is a core item

OBSERVATION: Lights located in above the freezers are not shatter resistant and the shielded bulbs above the ice machine are missing an end cap.

CORRECTIVE ACTION(S): Provide shielded, coated, or otherwise shatter resistant light bulbs. Correct By: 21-Jun-2018

CODE CITATION: 6-202.11 (A) Except as specified in ¶ (B) of this section, light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

(B) Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing FOOD in unopened PACKAGES, if:

- (1) The integrity of the PACKAGES cannot be affected by broken glass falling onto them; and
 - (2) The PACKAGES are capable of being cleaned of debris from broken bulbs before the PACKAGES are opened.
- (C) An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.


Comments:

[Contact Sam \(785-9732\) when corrected. Risk assessment conducted at inspection.](#)

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian



Sam Edberg



**Samuel Welch
(608) 785-9732**