



LA CROSSE COUNTY

Retail Food Establishment Inspection Report

| Establishment Information | |
|--|--|
| Facility Name BE FIT HOLMEN | Facility Type Very Small Potentially Hazardous |
| Facility ID # ASTS-AJDMSX | Facility Telephone # 608 526-6201 |
| Facility Address 800 S HOLMEN DR HOLMEN , WI 54636 | |
| Licensee Name BE FIT HOLMEN LLC | Licensee Address 800 S HOLMEN DR HOLMEN , WI 54636 |

| Inspection Information | | |
|-----------------------------------|--|------------------|
| Inspection Type Routine | Inspection Date December 6, 2018 | Total Time Spent |

| Equipment Temperatures | |
|--------------------------------|---------------------------------------|
| Description Reach in | Temperature (Fahrenheit) 41 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 3C sink | | | | | |

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.


| Comments: |
|------------------|
| |

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian


mike niedfeldt


Aron Newberry
(608) 785-9730