



Retail Food Establishment Inspection Report

Establishment Information	
Facility Name BODEGA BREW PUB (THE)	Facility Type Restaurant
Facility ID # HSAT-7QXMLN	Facility Telephone # 608 782-0677
Facility Address 122 4TH ST S LA CROSSE , WI 54601	
Licensee Name BODEGA BREW PUB INC (THE)	Licensee Address 120 4TH ST S LA CROSSE , WI 54601

Inspection Information		
Inspection Type Routine	Inspection Date June 22, 2017	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
small prep cooler	35
large prep cooler	35
soda reach in	40
stand up reach in cooler	42
slide reach in cooler	41
bar reach in cooler	42

Food Temperatures	
Description	Temperature (Fahrenheit)
cillantro pesto cold hold	36
corn chowder hot hold	151

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	Temperature
dish machine	chemical		100	chlorine		
wiping bucket	chemical		300,300,300	quaternary ammonium		
4 compartment bar sink	chemical		300	Quaternary ammonium		

Certified Manager		
Name SCOTT E MASON	Certificate # CJEY-ADLQGC	Certificate Expiration 1/18/2021

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Comments:
<p>Menu review and risk assessment conducted.</p> <p>Unable to sign, touchscreen was not working properly at the time of the inspection</p>

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Ryan Rose

Sanitarian

Aron Newberry
(608) 785-9730