



Retail Food Establishment Inspection Report

<b>Establishment Information</b>	
Facility Name <b>BROTHERS</b>	Facility Type <b>Restaurant</b>
Facility ID # <b>HSAT-7QWT3B</b>	Facility Telephone # <b>608 784-0522</b>
Facility Address <b>306 PEARL ST LA CROSSE , WI 54601</b>	
Licensee Name <b>BROTHERS OF WI INC</b>	Licensee Address <b>306 PEARL ST LA CROSSE , WI 54601</b>

<b>Inspection Information</b>		
Inspection Type <b>Follow Up</b>	Inspection Date <b>June 5, 2017</b>	Total Time Spent

<b>Equipment Temperatures</b>	
Description <b>walk-in coolers reach-in cooler prep top cooler bar bunkers</b>	Temperature (Fahrenheit)

<b>Warewashing Info</b>						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	Temperature
4 compartment sink (kitchen)	chemical					
4 compartment sink (bar)	chemical					
4 compartment sink (back bar)	chemical					

<b>Certified Manager</b>		
Name <b>CADE M MURPHY</b>	Certificate # <b>CJEY-9Y3QJL</b>	Certificate Expiration <b>8/18/2019</b>

**OPERATOR** - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

<b>Observed Violations</b>
<p><b>Total # 1</b></p> <p><b>Risk/Intervention - 08 - Adequate handwashing facilities supplied and accessible</b></p> <p>This is a core item</p> <p><b>REPEAT OBSERVATION:</b> No handwashing signage provided at the mens and womens restroom handwashing sink.</p> <p><b>CORRECTIVE ACTION(S):</b> Provide handwashing signage at all handwashing sinks used by food employees. Correct By: 26-May-2017</p> <p><b>CODE CITATION:</b> 6-301.14 A sign or poster that notifies FOOD EMPLOYEES to wash their hands shall be provided at all HANDWASHING SINKS used by FOOD EMPLOYEES and shall be clearly visible to FOOD EMPLOYEES.</p>

**Corrected Hazards**

The following hazard(s) have been corrected since the last inspection.

**Total # 1**

**4-501.11 (A) - EQUIPMENT AND UTENSILS - GOOD REPAIR**

This is a core item

**OBSERVATION:** Water is running continuously onto the ice. Ice machine is not maintained in good repair. Water is running continuously onto the ice from a leak in the system.

**CORRECTIVE ACTION(S):** Repair equipment to good condition or remove from premise. Correct By: 30-Jun-2017

**CODE CITATION:** 4-501.11 (A) EQUIPMENT shall be maintained in a state of repair and condition that meets the requirements specified under Parts 4-1 and 4-2.

**Comments:**


[Equipment was repaired by Hammes refrigeration on 6/1/17](#)

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

  
**ScotT HUnter**

Sanitarian

  
**Aron Newberry**  
**(608) 785-9730**