



Retail Food Establishment Inspection Report

<b>Establishment Information</b>	
Facility Name <b>CASINO</b>	Facility Type <b>Tavern</b>
Facility ID # <b>ASTS-8T9JUJZ</b>	Facility Telephone # <b>608 397-8829</b>
Facility Address <b>304 PEARL ST LA CROSSE , WI 54601</b>	
Licensee Name <b>SCHMITZ, DANIEL</b>	Licensee Address <b>523 SANBORN ST , WI 54603</b>

<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>June 26, 2018</b>	Total Time Spent

<b>Equipment Temperatures</b>	
Description <b>4 door reach-in cooler reach in cooler</b>	Temperature (Fahrenheit) <b>39 45</b>

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
dish machine	high temperature	passed			

**OPERATOR** - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

<b>Comments:</b>

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian

**Daniel Schmitz**

**Aron Newberry  
(608) 785-9730**