



Retail Food Establishment Inspection Report

<b>Establishment Information</b>	
Facility Name GROUNDED SPECIALTY COFFEE	Facility Type Restaurant
Facility ID # ASTS-8MCP3U	Facility Telephone # 608 784-5282
Facility Address 308 MAIN ST LA CROSSE , WI 54601-3215	
Licensee Name GROUNDED COFFEE, LLC	Licensee Address 308 MAIN ST LA CROSSE , WI 54601-3215

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date April 11, 2019	Total Time Spent

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
True cooler - Front	34
Freezer	FN
Refrigeration - prep cooler - kitchen	39
Front under counter cooler	36
Freezer - upstairs	FN
Walk in cooler	36

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
CH tomatoes prep top	40.5
Steamed milk cooling	142

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Low temp dish machine	Chemical		200		Chlorine
3 comp sink	Chemical		NSU		
Wiping bucket - under coffee machine	Chemical		300		QA
Wiping bucket - kitchen					

**OPERATOR** - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

**Observed Violations**

**Total # 2**

**Good Retail Practices - 39 - Wiping cloths: properly used and stored**

This is a core item

**OBSERVATION: (CORRECTED DURING INSPECTION):** Wiping cloth used for wiping counters stored in solution but not fully submerged.

**CORRECTIVE ACTION(S):** Cloths used for wiping counters shall be stored in a sanitizing solution fully submerged. Correct By: 11-Apr-2019

**CODE CITATION:** 3-304.14 (B) Cloths in-use for wiping counters and other EQUIPMENT surfaces shall be: (1) Held between uses in a chemical sanitizer solution at a concentration specified under § 4-501.114; and

**Good Retail Practices - 46 - Warewashing facilities: installed, maintained, & used: test strips**

This is a priority foundation item

**OBSERVATION:** A chlorine test kit is not available for checking sanitizer concentrations.

**CORRECTIVE ACTION(S):** Provide a test kit or other device for measuring the concentration of sanitizing solutions. Correct By: 11-Apr-2019

**CODE CITATION:** 4-302.14 A test kit or other device that accurately measures the concentration in mg/L of SANITIZING solutions shall be provided. [Pf]

**Comments:**

[Aron was here](#)

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian



**Maria Norberg**



**Amanda Ramos**  
**(608) 785-9771**