



Retail Food Establishment Inspection Report

| Establishment Information | |
|--|--|
| Facility Name KWIK TRIP # 762 | Facility Type Large Potentially Hazardous |
| Facility ID # ASTS-8S5SJ5 | Facility Telephone # 608 781-2044 |
| Facility Address 1133 W GEORGE ST LA CROSSE , WI 54602 | |
| Licensee Name KWIK TRIP, INC. | Licensee Address PO BOX 2107 LA CROSSE , WI 54602 |

| Inspection Information | | |
|-------------------------------|-------------------------------------|------------------|
| Inspection Type Routine | Inspection Date January 31, 2020 | Total Time Spent |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Walk in cooler | 36/38 |
| Walk in freezer | FN/FN |
| Prep top | 38 |
| Pizza display | 32 |
| Meat display | 35 |
| Fresh case | 37.5 |
| Under counter cooler | 38 |
| HH units | 158/170/151 |
| Creamer unit | 35.5 |
| F'real freezer | FN |

| Food Temperatures | |
|-----------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Ham, CH prep top | 37.5 |
| Sliced tomato, CH salad bar | 39.5 |
| Chicken dumpling soup, HH | 143 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 3 compartment sink | chemical | | NSU | | QA |

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

| Comments: |
|--|
| CFM: Amanda Vierling 10/18/24 No violations at time of inspection |

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian

No signature obtained due to operational malfunction

A large, stylized handwritten signature in black ink, appearing to read 'Amanda Ramos'.

Amanda Ramos
(608) 785-9771