



### Retail Food Establishment Inspection Report

<b>Establishment Information</b>	
Facility Name <b>LEO &amp; LEONAS</b>	Facility Type <b>Restaurant</b>
Facility ID # <b>HSAT-7QXDCE</b>	Facility Telephone # <b>608 452-3637</b>
Facility Address <b>W1436 STATE ROAD 33 BANGOR , WI 54614</b>	
Licensee Name <b>LEO AND LEONAS INC</b>	Licensee Address <b>N1436 STATE RD 33 BANGOR , WI 54614</b>

<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>February 13, 2020</b>	Total Time Spent

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Tramontina reach in cooler.	28
bar bunker	36
tall reach in cooler TRUE	38
Reach in freezers	FN/FN

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3 compartment sink	chemical		NSU		

**OPERATOR** - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

<b>Observed Violations</b>
<p><b>Total # 1</b></p> <p><b>Risk/Intervention - 26 - Toxic substances properly identified, stored and used</b> This is a priority item <b>OBSERVATION:</b> Various chemicals in storage closet are stored over beer bottles <b>CORRECTIVE ACTION(S):</b> Rearrange area so that toxic materials are stored below or away from food, equipment and single service items. Correct By: 13-Feb-2020 <b>CODE CITATION:</b> 7-201.11 POISONOUS OR TOXIC MATERIALS shall be stored so they cannot contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES by: (B) Locating the POISONOUS OR TOXIC MATERIALS in an area that is not above FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE or SINGLE-USE ARTICLES. This paragraph does not apply to EQUIPMENT and UTENSIL cleaners and SANITIZERS that are stored in WAREWASHING areas for availability and convenience if the materials are stored to prevent contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES. [P]</p>

<b>Comments:</b>
<a href="#">Discussed ice bin location.</a>


Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge



chris bennett

Sanitarian



Amanda Ramos  
(608) 785-9771