



Retail Food Establishment Inspection Report

Establishment Information	
Facility Name LITTLE CAESARS PIZZA	Facility Type Restaurant
Facility ID # ASTS-93CLPJ	Facility Telephone # 608 796-2206
Facility Address 1022 LA CROSSE LA CROSSE , WI 54601	
Licensee Name DGB INC	Licensee Address 29715 HAGSTROM RD ASHLAND , WI 54806

Inspection Information		
Inspection Type Routine	Inspection Date January 27, 2020	Total Time Spent

Equipment Temperatures	
Description Refrigeration - Prep top reach in Walk in cooler Stand up freezer	Temperature (Fahrenheit) 35 upper, 40 lower 38 F

Food Temperatures	
Description HH pizza HH cheese	Temperature (Fahrenheit) 141 139

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3 comp sink	Chemical		300		QA
Spray bottle	Chemical				
Sanitizer bucket 2	Chemical		300		QA

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations

Total # 2

Good Retail Practices - 46 - Warewashing facilities: installed, maintained, & used: test strips

This is a priority foundation item

REPEAT OBSERVATION: A QA test kit is not available for checking sanitizer concentrations.

CORRECTIVE ACTION(S): Provide a test kit or other device for measuring the concentration of sanitizing solutions. Correct By: 27-Jan-2020

CODE CITATION: 4-302.14 A test kit or other device that accurately measures the concentration in mg/L of SANITIZING solutions shall be provided. [Pf]

Good Retail Practices - 47 - Non-food contact surfaces clean

This is a core item

OBSERVATION: The speed racks and shelving are not cleaned on a frequent basis.

CORRECTIVE ACTION(S): Clean all equipment on a routine basis to prevent accumulation of soil residues. Correct By: 27-Jan-2020

CODE CITATION: 4-602.13 NonFOOD-CONTACT SURFACES of EQUIPMENT shall be cleaned at a frequency necessary to preclude accumulation of soil residues.

Comments:

[Robert Nelson is certified, expires 2021.](#)

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian



Robert Nelson



Doug Schaefer
(608) 785-9679