



Recreational Water Establishment Inspection Report

Establishment Information	
Facility Name ONALASKA AQUATIC CENTER	Facility Type Outdoor Pool
Facility ID # HSAT-7QXH4Y	Facility Telephone # 608 781-9524
Facility Address 250 RIDERS CLUB RD ONALASKA, WI 54650	
Licensee Name CITY OF ONALASKA	Licensee Address 415 MAIN ST ONALASKA, WI 54650

Pool Parameters	
Free Available Chlorine/Bromine	4.6
Combined Chlorine	0
pH	7.2
Alkalinity	40
Cyanuric Acid	<30
Temperature	82.6
Flowmeter Reading(s)	1167
Pressure Gauges Reading(s)	10, 10

Inspection Information		
Inspection Type Routine	Inspection Date June 13, 2017	Total Time Spent

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
<p>Total # 3</p> <p>Observed Violations - 16 - pH alkalinity within limits or balanced, Cyanuric acid - within limits, Superoxidation - done as needed. OBSERVATION: The total alkalinity is 40. CORRECTIVE ACTION(S): Maintain the total alkalinity between 60 and 180 ppm. Correct By: 13-Jun-2017 CODE CITATION: ATCP 76.14 Disinfectant feeding and residuals. (4) CHEMICAL CONCENTRATIONS AND RESIDUALS. (d) Alkalinity. The total alkalinity of pool water shall be maintained between 60 and 180 ppm as calcium carbonate unless it can be shown that another level of total alkalinity produces chemically balanced water based on calculations approved by the department.</p> <p>Observed Violations - 26 - Permissible patron load, Rescue equipment, first aid equipment, telephone present,</p>

located, good condition, phone numbers posted

OBSERVATION: A ring buoy is missing rope in the facility.

CORRECTIVE ACTION(S): Provide a ring buoy with rope as stated below for the facility and mount it in a conspicuous location. Correct By: 13-Jun-2017

CODE CITATION: ATCP 76.26 Rescue equipment. (1) REQUIRED EQUIPMENT. (b) For each basin of water over 4 feet in length and over 2 feet deep, a shepard's crook-type pole shall be provided. In addition, for each lifeguard chair, or for a pool 30 feet or more in width that does not have lifeguard chairs, at least one of the following shall be provided:

1. A ring buoy having a minimum outside diameter of 20 inches. Each ring buoy shall be attached to a 1/4 inch rope having a length not less than 1 1/2 times the maximum width of the pool or 50 feet, whichever is less.
2. A rescue tube.

Observed Violations - 25 - Lifeguards identifiable, no distracting duties, at duties station, certifications verified

OBSERVATION: Lifeguard certifications are not available at the pool for review.

CORRECTIVE ACTION(S): The lifeguard must be relieved of duties until the certification can be verified. If the minimum lifeguard requirements in the approved staffing plan are not met as a result, the guarded pool or portion must be closed. Correct By: 13-Jun-2017

CODE CITATION: ATCP 76.22 Lifeguards and Attendants. (2) QUALIFICATIONS. (a) A copy of each lifeguarding certification, first aid certification, and CPR certification held by lifeguard staff shall be maintained at the pool and shall be made available for inspection by the department.

Comments:

1. Maintain lifeguard certifications on site for review.
2. Discussed DII reports - must be sent to LCHD by next business day.
3. Reviewed VGBA - Lawson drain covers - expiration 10 years

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Sanitarian



Nicole Frankfourth
(608) 785-9731