



Recreational Water Establishment Inspection Report

Establishment Information	
Facility Name CAMERON PARK CONDOMINIUMS - POOL	Facility Type Indoor Pool
Facility ID # HSAT-7QXDZC	Facility Telephone # 608 781-1275
Facility Address 415 KING ST LA CROSSE, WI 54601	
Licensee Name RIVER MOUNTAIN LLC	Licensee Address 403 GILLETTE ST LA CROSSE, WI 54603

Pool Parameters	
Free Available Chlorine/Bromine	6.6
Combined Chlorine	.4
pH	7.2
Alkalinity	
Cyanuric Acid	
Temperature	84.4
Flowmeter Reading(s)	80
Pressure Gauges Reading(s)	16

Inspection Information		
Inspection Type Routine	Inspection Date February 15, 2017	Total Time Spent

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations

Total # 5

Observed Violations - 11 - Chemicals - proper labeling and storage, no mixing of chemicals, smoking prohibited

OBSERVATION: Material safety data sheets are not available for all chemicals used in the facility.

CORRECTIVE ACTION(S): Provide material safety data sheets for all chemicals used in the facility. Correct By: 22-Feb-2017

CODE CITATION: ATCP 76.12 Labeling, storing, mixing, and handling chemicals. (4) HANDLING. (b) Material safety data sheet. Material safety data sheets shall be readily available at the pool attraction area for every chemical used.

Observed Violations - 20 - Approved test kits available, maintained, used, frequency of testing - 2X/day-pools, 4x/day-whirlpools alkalinity, cyanuric acid, and combined chlorine done as required.

OBSERVATION: The test kit used by the facility is not in compliance with ATCP 76. Test kit K-2005 is currently being used and is unable to test free chlorine to within .2 ppm, and from 0-10 ppm.

CORRECTIVE ACTION(S): Replace the test kit with one from the approved list. K-2006 is the kit that the department uses. Correct By: 22-Feb-2017

CODE CITATION: ATCP 76.17 Water test kits. (1) A test kit of a type approved by the department shall be maintained for testing the pool water pH; the disinfectant residual; the combined chlorine level, when chlorine is used; the total alkalinity; and the cyanuric acid concentration, when used.

Observed Violations - 26 - Permissible patron load, Rescue equipment, first aid equipment, telephone present, located, good condition, phone numbers posted

OBSERVATION: The emergency telephone does not work.

CORRECTIVE ACTION(S): Provide a functional emergency telephone immediately. Correct By: 22-Feb-2017

CODE CITATION: ATCP 76.26 Rescue equipment. (2) TELEPHONE. For outdoor pools, a working telephone shall be available in the pool area. For indoor pools, a working telephone shall be available within the enclosed area around a pool. A current list of emergency numbers and the facility's location shall be attached to or posted near the telephone. Cellular or cordless phones may not be used to comply with this subsection.

Note: A request for an alternative location for a telephone or another system of communication that provides access to emergency service during hours of pool operation may be made under s. ATCP 76.02 (2).

Observed Violations - 29 - Facility maintenance and equipment - Pool and deck area - good repair, sanitation, maintained, depth markings, boundary line, drinking fountain

OBSERVATION: The drinking fountain is not functional.

CORRECTIVE ACTION(S): Repair the drinking fountain. Correct By: 22-Feb-2017

CODE CITATION: ATCP 76.33 Facility maintenance, repair and sanitation. (1) POOL AREA. (g) Drinking fountain. Each drinking fountain required under s. SPS 390.19 shall be maintained in clean and sanitary condition.

Observed Violations - 26 - Permissible patron load, Rescue equipment, first aid equipment, telephone present, located, good condition, phone numbers posted

OBSERVATION: Scissors, tweezers, adhesive tape, gauze roller bandage, elastic bandage, resuscitation pocket face mask, biohazard disposal (biohazard disposal may be held at an APPROVED location), are missing from the first aid kit.

CORRECTIVE ACTION(S): Provide all the items listed in ATCP 76.27(1) in the first aid kit. Correct By: 22-Feb-2017

CODE CITATION: ATCP 76.27 First aid supplies. (1) A first aid kit of a sort approved by the department and 2 durable blankets in good condition shall be available at each pool area. The first aid kit shall contain all of the following items:

1. Gauze pads - 4" x 4",
2. Gauze pads - 8" x 10",
3. Adhesive bandages,
4. Triangular bandages,
5. Scissors,
6. Gauze roller bandage,
7. Tweezers,
8. Adhesive tape,
9. Eye wash,
10. Elastic bandage,
11. Disposable surgical gloves,
12. Resuscitation pocket face mask,
13. Instant cold packs.

Comments

[Discussed barricading off the unused whirlpool area to prevent entry into a hazardous area. Be careful to ensure access to the emergency phone.](#)

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge



eric taube

Sanitarian



Aron Newberry
(608) 785-9730